

9 References

- Abi-Dargham, A., Mawlawi, O., Lombardo, I., Gil, R., Martinez, D., Huang, Y., Hwang, D. R., Keilp, J., Kochan, L., Van Heertum, R., Gorman, J. M., Laruelle, M., 2002. Prefrontal dopamine D1 receptors and working memory in schizophrenia. *Journal of Neuroscience*. 22, 3708-3719.
- Abi-Dargham, A., Moore, H., 2003. Prefrontal DA transmission at D1 receptors and the pathology of schizophrenia. *Neuroscientist*. 9, 404-416.
- Acheson, A. L., Zigmond, M. J., 1981. Short and long term changes in tyrosine hydroxylase activity in rat brain after subtotal destruction of central noradrenergic neurons. *Journal of Neuroscience*. 1, 493-504.
- Acheson, A. L., Zigmond, M. J., Stricker, E. M., 1980. Compensatory increase in tyrosine hydroxylase activity in rat brain after intraventricular injections of 6-hydroxydopamine. *Science*. 207, 537-540.
- Agid, Y., Ruberg, M., Javoy-Agid, F., Hirsch, E., Raisman-Vozari, R., Vyas, S., Faucheuex, B., Michel, P., Kastner, A., Blanchard, V., et al., 1993. Are dopaminergic neurons selectively vulnerable to Parkinson's disease? *Advances in Neurology*. 60, 148-164.
- Arnsten, A. F., 1997. Catecholamine regulation of the prefrontal cortex. *Journal of Psychopharmacology*. 11, 151-162.
- Arnsten, A. F., Cai, J. X., Goldman-Rakic, P. S., 1988. The alpha-2 adrenergic agonist guanfacine improves memory in aged monkeys without sedative or hypotensive side effects: evidence for alpha-2 receptor subtypes. *Journal of Neuroscience*. 8, 4287-4298.
- Arnsten, A. F., Cai, J. X., Steere, J. C., Goldman-Rakic, P. S., 1995. Dopamine D2 receptor mechanisms contribute to age-related cognitive decline: the effects of quinpirole on memory and motor performance in monkeys. *Journal of Neuroscience*. 15, 3429-3439.
- Arnsten, A. F., Dudley, A. G., 2005. Methylphenidate improves prefrontal cortical cognitive function through alpha2 adrenoceptor and dopamine D1 receptor actions: Relevance to therapeutic effects in Attention Deficit Hyperactivity Disorder. *Behavioral and Brain Function*. 1, 2.

- Arnsten, A. F., Goldman-Rakic, P. S., 1990. Analysis of alpha-2 adrenergic agonist effects on the delayed nonmatch-to-sample performance of aged rhesus monkeys. *Neurobiology of Aging*. 11, 583-590.
- Arnsten, A. F., Li, B. M., 2005. Neurobiology of executive functions: catecholamine influences on prefrontal cortical functions. *Biological Psychiatry*. 57, 1377-1384.
- Arthurs, O. J., Boniface, S., 2002. How well do we understand the neural origins of the fMRI BOLD signal? *Trends in Neurosciences*. 25, 27-31.
- Aston-Jones, G., Chiang, C., Alexinsky, T., 1991. Discharge of noradrenergic locus caeruleus neurons in behaving rats and monkeys suggests a role in vigilance. *Progress in Brain Research*. 88, 501-520.
- Awh, E., Jonides, J., Smith, E. E., Schumacher, E. H., Koeppe, R. A., Katz, S., 1996. Dissociation of storage and rehearsal in verbal working memory: evidence from positron emission tomography. *Physiological Science*. 7, 25-31.
- Azmitia, E. C., Segal, M., 1978. An autoradiographic analysis of the differential ascending projections of the dorsal and median raphe nuclei in the rat. *Journal of Comparative Neurology*. 179, 641-667.
- Baddeley, A., 1981. The concept of working memory: a view of its current state and probable future development. *Cognition*. 10, 17-23.
- Baddeley, A., 1992. Working memory. *Science*. 255, 556-559.
- Baddeley, A., 1998a. Recent developments in working memory. *Current Opinion in Neurobiology*. 8, 234-238.
- Baddeley, A., 1998b. Working memory. *Comptes Rendus de l Academie des Sciences. Serie III, Sciences de la Vie*. 321, 167-173.
- Baddeley, A., 2003. Working memory: looking back and looking forward. *Nature Reviews. Neuroscience*. 4, 829-839.
- Baddeley, A. D., 2001. Is working memory still working? *American Psychologist*. 56, 851-864.
- Baddeley, A. D., Hitch, G. J., 1974. Working memory. In: Bower, G. H. (Ed.), *Attention and Performance VI*. Erlbaum., New York, pp. 647-667.
- Baker, S. C., Frith, C. D., Frackowiak, R. S., Dolan, R. J., 1996. Active representation of shape and spatial location in man. *Cerebral Cortex*. 6, 612-619.

- Bandaret, L. E., Lieberman, H. R., 1989. Treatment with tyrosine, a neurotransmitter precursor, reduces environmental stress in humans. *Brain Research Bulletin*. 22, 759-762.
- Barbas, H., Mesulam, M. M., 1981. Organization of afferent input to subdivisions of area 8 in the rhesus monkey. *Journal of Comparative Neurology*. 200, 407-431.
- Barbas, H., Pandya, D. N., 1987. Architecture and frontal cortical connections of the premotor cortex (area 6) in the rhesus monkey. *Journal of Comparative Neurology*. 256, 211-228.
- Bartholomeusz, C. F., Box, G., Van Rooy, C., Nathan, P. J., 2003. The modulatory effects of dopamine D1 and D2 receptor function on object working memory in humans. *Journal of Psychopharmacology*. 17, 9-15.
- Bauer, R. H., Fuster, J. M., 1976. Delayed-matching and delayed-response deficit from cooling dorsolateral prefrontal cortex in monkeys. *Journal of Comparative and Physiological Psychology*. 90, 293-302.
- Bellamy, M. F., McDowell, I. F., Ramsey, M. W., Brownlee, M., Bones, C., Newcombe, R. G., Lewis, M. J., 1998. Hyperhomocysteinemia after an oral methionine load acutely impairs endothelial function in healthy adults. *Circulation*. 98, 1848-1852.
- Berridge, C. W., Waterhouse, B. D., 2003. The locus coeruleus-noradrenergic system: modulation of behavioral state and state-dependent cognitive processes. *Brain Research. Brain Research Reviews*. 42, 33-84.
- Bertolino, A., Caforio, G., Blasi, G., De Candia, M., Latorre, V., Petruzzella, V., Altamura, M., Nappi, G., Papa, S., Callicott, J. H., Mattay, V. S., Bellomo, A., Scarabino, T., Weinberger, D. R., Nardini, M., 2004. Interaction of COMT (Val108/158)Met genotype and olanzapine treatment on prefrontal cortical function in patients with schizophrenia. *American Journal of Psychiatry*. 161, 1798-1805.
- Biggio, G., Porceddu, M. L., Gessa, G. L., 1976. Decrease of homovanillic, dihydroxyphenylacetic acid and cyclic-adenosine-3',5'-monophosphate content in the rat caudate nucleus induced by the acute administration of an aminoacid mixture lacking tyrosine and phenylalanine. *Journal of Neurochemistry*. 26, 1253-1255.

- Blaschko, H., 1939. The specific action of L-dopa decarboxylase. *Journal of Physiology*. 96, 50-51.
- Blin, O., 2003. The pharmacokinetics of pergolide in Parkinson's disease. *Current Opinion in Neurology*. 16 Suppl 1, S9-12.
- Bond, A. J., Lader, M. H., 1974. The use of analogue scales in rating subjective feelings. *British Journal of Medical Psychology*. 47, 211-218.
- Bor, D., Duncan, J., Wiseman, R. J., Owen, A. M., 2003. Encoding strategies dissociate prefrontal activity from working memory demand. *Neuron*. 37, 361-367.
- Braver, T. S., Bongiolatti, S. R., 2002. The role of frontopolar cortex in subgoal processing during working memory. *Neuroimage*. 15, 523-536.
- Braver, T. S., Cohen, J. D., Nystrom, L. E., Jonides, J., Smith, E. E., Noll, D. C., 1997. A parametric study of prefrontal cortex involvement in human working memory. *Neuroimage*. 5, 49-62.
- Bremner, J. D., Vythilingam, M., Ng, C. K., Vermetten, E., Nazeer, A., Oren, D. A., Berman, R. M., Charney, D. S., 2003. Regional brain metabolic correlates of alpha-methylparatyrosine-induced depressive symptoms: implications for the neural circuitry of depression. *JAMA*. 289, 3125-3134.
- Brozoski, T. J., Brown, R. M., Rosvold, H. E., Goldman, P. S., 1979. Cognitive deficit caused by regional depletion of dopamine in prefrontal cortex of rhesus monkey. *Science*. 205, 929-932.
- Bublak, P., Muller, U., Gron, G., Reuter, M., von Cramon, D. Y., 2002. Manipulation of working memory information is impaired in Parkinson's disease and related to working memory capacity. *Neuropsychology*. 16, 577-590.
- Buffett-Jerrott, S. E., Stewart, S. H., 2002. Cognitive and sedative effects of benzodiazepine use. *Current Pharmaceutical Design*. 8, 45-58.
- Butters, N., Pandya, D., 1969. Retention of delayed-alternation: effect of selective lesions of sulcus principalis. *Science*. 165, 1271-1273.
- Butters, N., Pandya, D., Sanders, K., Dye, P., 1971. Behavioral deficits in monkeys after selective lesions within the middle third of sulcus principalis. *Journal of Comparative and Physiological Psychology*. 76, 8-14.
- Cabeza, R., Nyberg, L., 2000. Imaging cognition II: An empirical review of 275 PET and fMRI studies. *Journal of Cognitive Neuroscience*. 12, 1-47.

- Callicott, J. H., Mattay, V. S., Bertolino, A., Finn, K., Coppola, R., Frank, J. A., Goldberg, T. E., Weinberger, D. R., 1999. Physiological characteristics of capacity constraints in working memory as revealed by functional MRI. *Cerebral Cortex*. 9, 20-26.
- Callicott, J. H., Mattay, V. S., Verchinski, B. A., Marenco, S., Egan, M. F., Weinberger, D. R., 2003. Complexity of prefrontal cortical dysfunction in schizophrenia: more than up or down. *American Journal of Psychiatry*. 160, 2209-2215.
- Canales, J. J., Iversen, S. D., 2000. Dynamic dopamine receptor interactions in the core and shell of nucleus accumbens differentially co-ordinate the expression of unconditioned motor behaviors. *Synapse* 15,. 15, 297-306.
- Carlson, S., Martinkkauppi, S., Rama, P., Salli, E., Korvenoja, A., Aronen, H. J., 1998. Distribution of cortical activation during visuospatial n-back tasks as revealed by functional magnetic resonance imaging. *Cerebral Cortex*. 8, 743-752.
- Casey, B. J., Cohen, J. D., O'Craven, K., Davidson, R. J., Irwin, W., Nelson, C. A., Noll, D. C., Hu, X., Lowe, M. J., Rosen, B. R., Truwitt, C. L., Turski, P. A., 1998. Reproducibility of fMRI results across four institutions using a spatial working memory task. *Neuroimage*. 8, 249-261.
- Castner, S. A., Goldman-Rakic, P. S., Williams, G. V., 2004. Animal models of working memory: insights for targeting cognitive dysfunction in schizophrenia. *Psychopharmacology*. 174, 111-125.
- Cavada, C., Goldman-Rakic, P. S., 1989. Posterior parietal cortex in rhesus monkey: II. Evidence for segregated corticocortical networks linking sensory and limbic areas with the frontal lobe. *Journal of Comparative Neurology*. 287, 422-445.
- Chafee, M. V., Goldman-Rakic, P. S., 1998. Matching patterns of activity in primate prefrontal area 8a and parietal area 7ip neurons during a spatial working memory task. *Journal of Neurophysiology*. 79, 2919-2940.
- Chambers, J. C., Ueland, P. M., Wright, M., Dore, C. J., Refsum, H., Kooner, J. S., 2001. Investigation of relationship between reduced, oxidized, and protein-bound homocysteine and vascular endothelial function in healthy human subjects. *Circulation Research*. 89, 187-192.

- Checkley, S. A., 1980. Neuroendocrine tests of monoamine function in man: a review of basic theory and its application to the study of depressive illness. *Psychological Medicine*. 10, 35–53.
- Chouinard, G., 2004. Issues in the clinical use of benzodiazepines: potency, withdrawal, and rebound. *Journal of Clinical Psychiatry*. 65 Suppl 5, 7-12.
- Clark, C. R., Moores, K. A., Lewis, A., Weber, D. L., Fitzgibbon, S., Greenblatt, R., Brown, G., Taylor, J., 2001. Cortical network dynamics during verbal working memory function. *International Journal of Psychophysiology*. 42, 161-176.
- Clemens, J. A., Okimura, T., Smalstig, E. B., 1993. Dopamine agonist activities of pergolide, its metabolites, and bromocriptine as measured by prolactin inhibition, compulsive turning, and stereotypic behavior. *Arzneimittel-Forschung*. 43, 281-286.
- Cochran, W. G., Cox, G. M., 1957. Experimental designs. Wiley, New York.
- Cohen, J. D., Perlstein, W. M., Braver, T. S., Nystrom, L. E., Noll, D. C., Jonides, J., Smith, E. E., 1997. Temporal dynamics of brain activation during a working memory task. *Nature*. 386, 604-608.
- Cohen, S., 2001. Amino acid analysis using precolumn derivatisation with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. In: Cooper C, Packer N, Williams K (Eds.), *Methods in molecular biology*.
- Constantinidis, C., Steinmetz, M. A., 1996. Neuronal activity in posterior parietal area 7a during the delay periods of a spatial memory task. *Journal of Neurophysiology*. 76, 1352-1355.
- Cools, R., Barker, R. A., Sahakian, B. J., Robbins, T. W., 2001. Enhanced or impaired cognitive function in Parkinson's disease as a function of dopaminergic medication and task demands. *Cerebral Cortex*. 11, 1136-1143.
- Cools, R., Barker, R. A., Sahakian, B. J., Robbins, T. W., 2003. L-Dopa medication remedies cognitive inflexibility, but increases impulsivity in patients with Parkinson's disease. *Neuropsychologia*. 41, 1431-1441.
- Cools, R., Stefanova, E., Barker, R. A., Robbins, T. W., Owen, A. M., 2002. Dopaminergic modulation of high-level cognition in Parkinson's disease: the role of the prefrontal cortex revealed by PET. *Brain*. 125, 584-594.
- Cooper, J. R., Bloom, F. E., Roth, R. H., 2003. *The Biochemical Basis of Neuropharmacology*. Oxford University Press, Oxford.

- Cooper, N. J., Keage, H., Hermens, D., Williams, L. M., Debrota, D., Clark, C. R., Gordon, E., 2005. The dose-dependent effect of methylphenidate on performance, cognition and psychophysiology. *Journal of Integrative Neuroscience*. 4, 123-144.
- Coull, J. T., 1998. Neural correlates of attention and arousal: insights from electrophysiology, functional neuroimaging and psychopharmacology. *Progress in Neurobiology*. 55, 343-361.
- Coull, J. T., Middleton, H. C., Robbins, T. W., Sahakian, B. J., 1995. Contrasting effects of clonidine and diazepam on tests of working memory and planning. *Psychopharmacology*. 120, 311-321.
- Courtney, S. M., Petit, L., Haxby, J. V., Ungerleider, L. G., 1998. The role of prefrontal cortex in working memory: examining the contents of consciousness. *Philosophical Transactions of the Royal Society of London. Series B: Biological Sciences*. 353, 1819-1828.
- Courtney, S. M., Ungerleider, L. G., Keil, K., Haxby, J. V., 1996. Object and spatial visual working memory activate separate neural systems in human cortex. *Cerebral Cortex*. 6, 39-49.
- Curran, H. V., 1991. Benzodiazepines, memory and mood: a review. *Psychopharmacology*. 105, 1-8.
- Curtis, C. E., D'Esposito, M., 2004. The effects of prefrontal lesions on working memory performance and theory. *Cognitive Affective and Behavioral Neuroscience*. 4, 528-539.
- Dahlstrom, A., Fuxe, K., 1964. Evidence for the existence of monoamine-containing neurons in the central nervous system. I. Demonstration of monoamines in the cell bodies of the brain stem neurons. *Acta Physiologica Scandinavica*. 62, 232:231-255.
- Dalley, J. W., Cardinal, R. N., Robbins, T. W., 2004. Prefrontal executive and cognitive functions in rodents: neural and neurochemical substrates. *Neuroscience and Biobehavioral Reviews*. 28, 771-784.
- De Keyser, J., De Backer, J. P., Wilczak, N., Herroelen, L., 1995. Dopamine agonists used in the treatment of Parkinson's disease and their selectivity for the D1, D2, and D3 dopamine receptors in human striatum. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*. 19, 1147-1154.

- Del Arco, A., Mora, F., 2000. Endogenous dopamine potentiates the effects of glutamate on extracellular GABA in the prefrontal cortex of the freely moving rat. *Brain Research Bulletin*. 53, 339-345.
- Deleu, D., Northway, M. G., Hanssens, Y., 2002. Clinical pharmacokinetic and pharmacodynamic properties of drugs used in the treatment of Parkinson's disease. *Clinical Pharmacokinetics*. 41, 261-309.
- D'Esposito, M., Aguirre, G. K., Zarahn, E., Ballard, D., Shin, R. K., Lease, J., 1998. Functional MRI studies of spatial and nonspatial working memory. *Brain Research. Cognitive Brain Research*. 7, 1-13.
- D'Esposito, M., Postle, B. R., Rypma, B., 2000. Prefrontal cortical contributions to working memory: evidence from event-related fMRI studies. *Experimental Brain Research*. 133, 3-11.
- Devoto, P., Flore, G., Pani, L., Gessa, G. L., 2001. Evidence for co-release of noradrenaline and dopamine from noradrenergic neurons in the cerebral cortex. *Molecular Psychiatry*. 6, 657-664.
- Di Chiara, G., Bassareo, V., Fenu, S., De Luca, M. A., Spina, L., Cadoni, C., Acquas, E., Carboni, E., Valentini, V., Lecca, D., 2004. Dopamine and drug addiction: the nucleus accumbens shell connection. *Neuropharmacology*. 47 Suppl 1, 227-241.
- Di Chiara, G., Porceddu, M. L., Vargiu, L., Stefanini, E., Gessa, G. L., 1977. Evidence for selective and long-lasting stimulation of "regulatory" dopamine receptors by bromocriptine (CB 154). *Naunyn-Schmiedebergs Archives of Pharmacology*. 300, 239-245.
- Drachman, D. A., Leavitt, J., 1974. Human memory and the cholinergic system. *Archives in Neurology*. 30, 113-121.
- Druzgal, T. J., D'Esposito, M., 2001. Activity in fusiform face area modulated as a function of working memory load. *Brain Research. Cognitive Brain Research*. 10, 355-364.
- Dudchenko, P. A., 2004. An overview of the tasks used to test working memory in rodents. *Neuroscience and Biobehavioral Reviews*. 28, 699-709.
- Duka, T., Ott, H., Rohloff, A., Voet, B., 1996. The effects of a benzodiazepine receptor antagonist beta-carboline ZK-93426 on scopolamine-induced impairment on attention, memory and psychomotor skills. *Psychopharmacology*. 123, 361-373.

- Duteil, J., Rambert, F. A., Pessonniere, J., Hermant, J. F., Gombert, R., Assous, E., 1990. Central alpha 1-adrenergic stimulation in relation to the behaviour stimulating effect of modafinil; studies with experimental animals. European Journal of Pharmacology. 180, 49-58.
- Egan, M. F., Goldberg, T. E., Kolachana, B. S., Callicott, J. H., Mazzanti, C. M., Straub, R. E., Goldman, D., Weinberger, D. R., 2001. Effect of COMT Val108/158 Met genotype on frontal lobe function and risk for schizophrenia. Proceedings of the National Academy of Sciences of the United States of America. 98, 6917-6922.
- Ellenbogen, M. A., Young, S. N., Dean, P., Palmour, R. M., Benkelfat, C., 1996. Mood response to acute tryptophan depletion in healthy volunteers: sex differences and temporal stability. Neuropsychopharmacology. 15, 465-474.
- Elliott, R., Sahakian, B. J., Matthews, K., Bannerjea, A., Rimmer, J., Robbins, T. W., 1997. Effects of methylphenidate on spatial working memory and planning in healthy young adults. Psychopharmacology. 131, 196-206.
- Ellis, J. R., Ellis, K. A., Bartholomeusz, C. F., Harrison, B. J., Wesnes, K. A., Erskine, F. F., Vitetta, L., Nathan, P. J., 2005a. Muscarinic and nicotinic receptors synergistically modulate working memory and attention in humans. International Journal of Neuropsychopharmacology, 1-15.
- Ellis, K. A., Mehta, M. A., Wesnes, K. A., Armstrong, S., Nathan, P. J., 2005b. Combined D1/D2 receptor stimulation under conditions of dopamine depletion impairs spatial working memory performance in humans. Psychopharmacology. 181, 771-780.
- Ellis, K. A., Nathan, P. J., 2001. The pharmacology of human working memory. International Journal of Neuropsychopharmacology. 4, 299-313.
- Evins, A. E., Amico, E., Posever, T. A., Toker, R., Goff, D. C., 2002. D-Cycloserine added to risperidone in patients with primary negative symptoms of schizophrenia. Schizophrenia Research. 56, 19-23.
- Fan, J. B., Zhang, C. S., Gu, N. F., Li, X. W., Sun, W. W., Wang, H. Y., Feng, G. Y., St Clair, D., He, L., 2005. Catechol-O-methyltransferase gene Val/Met functional polymorphism and risk of schizophrenia: a large-scale association study plus meta-analysis. Biological Psychiatry. 57, 139-144.

- Fern-Pollak, L., Whone, A. L., Brooks, D. J., Mehta, M. A., 2004. Cognitive and motor effects of dopaminergic medication withdrawal in Parkinson's disease. *Neuropsychologia*. 42, 1917-1926.
- First, M. B., Spitzer, R. L., Gibbon, M., Williams, J. B. W., 2002. Structured Clinical Interview for DSM-IV-TR Axis I Disorders, Research Version, Non-patient Edition (SCID-I/NP). Biometrics Research, New York State Psychiatric Institute, New York.
- FitzGerald, M. J. T., 1996. Neuroanatomy: basic and clinical. Bath Press Colour Books, Glasgow.
- Fletcher, P. J., 1991. Dopamine receptor blockade in nucleus accumbens or caudate nucleus differentially affects feeding induced by 8-OH-DPAT injected into dorsal or median raphe. *Brain Research*. 552, 181-189.
- Frackowiak, R. S., Friston, K. J., 1994. Functional neuroanatomy of the human brain: positron emission tomography--a new neuroanatomical technique. *Journal of Anatomy*. 184 (Pt 2), 211-225.
- Frame, M. D., 1999. Conducted signals within arteriolar networks initiated by bioactive amino acids. *American Journal of Physiology*. 276, H1012-1021.
- Franowicz, J. S., Arnsten, A. F., 1998. The alpha-2a noradrenergic agonist, guanfacine, improves delayed response performance in young adult rhesus monkeys. *Psychopharmacology*. 136, 8-14.
- Frey, P. W., Colliver, J. A., 1973. Sensitivity and response measures for discrimination learning. *Learning Motivation*. 4, 327-324.
- Friston, K. J., Holmes, A. P., Worsley, K. J., Poline, J. B., Frith, C. D., Frackowiak, R. S. J., 1995. Statistical Parametric Maps in functional imaging: a general linear approach. *Human Brain Mapping*. 2, 189–210.
- Funahashi, S., Bruce, C. J., Goldman-Rakic, P. S., 1989. Mnemonic coding of visual space in the monkey's dorsolateral prefrontal cortex. *Journal of Neurophysiology*. 61, 331-349.
- Funahashi, S., Bruce, C. J., Goldman-Rakic, P. S., 1993. Dorsolateral prefrontal lesions and oculomotor delayed-response performance: evidence for mnemonic "scotomas". *Journal of Neuroscience*. 13, 1479-1497.
- Furey, M. L., Pietrini, P., Alexander, G. E., Schapiro, M. B., Horwitz, B., 2000a. Cholinergic enhancement improves performance on working memory by modulating the functional activity in distinct brain regions: a positron emission

- tomography regional cerebral blood flow study in healthy humans. *Brain Research Bulletin*. 51, 213-218.
- Furey, M. L., Pietrini, P., Haxby, J. V., 2000b. Cholinergic enhancement and increased selectivity of perceptual processing during working memory. *Science*. 290, 2315-2319.
- Furey, M. L., Pietrini, P., Haxby, J. V., Alexander, G. E., Lee, H. C., VanMeter, J., Grady, C. L., Shetty, U., Rapoport, S. I., Schapiro, M. B., Freo, U., 1997. Cholinergic stimulation alters performance and task-specific regional cerebral blood flow during working memory. *Proceedings of the National Academy of Sciences of the United States of America*. 94, 6512-6516.
- Fuster, J. M., 1973. Unit activity in prefrontal cortex during delayed-response performance: neuronal correlates of transient memory. *Journal of Neurophysiology*. 36, 61-78.
- Fuster, J. M., Alexander, G. E., 1971. Neuron activity related to short-term memory. *Science*. 173, 652-654.
- Fuster, J. M., Bauer, R. H., 1974. Visual short-term memory deficit from hypothermia of frontal cortex. *Brain Research*. 81, 393-400.
- Fuster, J. M., Bauer, R. H., Jervey, J. P., 1982. Cellular discharge in the dorsolateral prefrontal cortex of the monkey in cognitive tasks. *Experimental Neurology*. 77, 679-694.
- Gao, W. J., Krimer, L. S., Goldman-Rakic, P. S., 2001. Presynaptic regulation of recurrent excitation by D1 receptors in prefrontal circuits. *Proceedings of the National Academy of Sciences of the United States of America*. 98, 295-300.
- Gatley, S. J., Pan, D., Chen, R., Chaturvedi, G., Ding, Y. S., 1996. Affinities of methylphenidate derivatives for dopamine, norepinephrine and serotonin transporters. *Life Sciences*. 58, 231-239.
- Gerlach, M., Double, K., Arzberger, T., Leblhuber, F., Tatschner, T., Riederer, P., 2003. Dopamine receptor agonists in current clinical use: comparative dopamine receptor binding profiles defined in the human striatum. *Journal of Neural Transmission*. 110, 1119-1127.
- Germano, C., Kinsella, G. J., 2005. Working memory and learning in early Alzheimer's disease. *Neuropsychology Review*. 15, 1-10.

- Gevins, A., Cutillo, B., 1993. Spatiotemporal dynamics of component processes in human working memory. *Electroencephalography and Clinical Neurophysiology*. 87, 128-143.
- Gevins, A., Smith, M. E., 2000. Neurophysiological measures of working memory and individual differences in cognitive ability and cognitive style. *Cerebral Cortex*. 10, 829-839.
- Gevins, A., Smith, M. E., Le, J., Leong, H., Bennett, J., Martin, N., McEvoy, L., Du, R., Whitfield, S., 1996. High resolution evoked potential imaging of the cortical dynamics of human working memory. *Electroencephalography and Clinical Neurophysiology*. 98, 327-348.
- Gevins, A., Smith, M. E., McEvoy, L., Yu, D., 1997. High-resolution EEG mapping of cortical activation related to working memory: effects of task difficulty, type of processing, and practice. *Cerebral Cortex*. 7, 374-385.
- Goff, D. C., Tsai, G., Levitt, J., Amico, E., Manoach, D., Schoenfeld, D. A., Hayden, D. L., McCarley, R., Coyle, J. T., 1999. A placebo-controlled trial of D-cycloserine added to conventional neuroleptics in patients with schizophrenia. *Archives of General Psychiatry*. 56, 21-27.
- Goldman, P. S., Rosvold, H. E., 1970. Localization of function within the dorsolateral prefrontal cortex of the rhesus monkey. *Experimental Neurology*. 27, 291-304.
- Goldman, P. S., Rosvold, H. E., Vest, B., Galkin, T. W., 1971. Analysis of the delayed-alternation deficit produced by dorsolateral prefrontal lesions in the rhesus monkey. *Journal of Comparative and Physiological Psychology*. 77, 212-220.
- Goldman-Rakic, P. S., 1987. Circuitry of the prefrontal cortex and regulation of behavior by representational memory. In: Mountcastle, V. B. et al. (Eds.), *Handbook of neurology*. American Physiological Society, Bethesda, pp. 373-417.
- Goldman-Rakic, P. S., 1992. Working memory and the mind. *Scientific American*. 267, 110-117.
- Goldman-Rakic, P. S., 1994. The issue of memory in the study of prefrontal functions. In: Thierry, A. M. et al. (Eds.), *Motor and cognitive functions of the prefrontal cortex*. Springer, Berlin, pp. 112-122.
- Goldman-Rakic, P. S., 1995a. Architecture of the prefrontal cortex and the central executive. *Annals of the New York Academy of Sciences*. 769, 71-83.

- Goldman-Rakic, P. S., 1995b. Cellular basis of working memory. *Neuron*. 14, 477-485.
- Goldman-Rakic, P. S., 1996. Regional and cellular fractionation of working memory. *Proceedings of the National Academy of Sciences of the United States of America*. 93, 13473-13480.
- Goldman-Rakic, P. S., 1999. The physiological approach: functional architecture of working memory and disordered cognition in schizophrenia. *Biological Psychiatry*. 46, 650-661.
- Goldman-Rakic, P. S., Bergson, C., Mrzljak, L., Williams, G. V., 1996. Dopamine receptors and cognitive function in nonhuman primates. In: Neve, K. A. and Neve, R. L. (Eds.), *The dopamine receptors*, vol. Chapter 16. Humana Press Inc., Totowa, NJ, pp. 499-522.
- Gordon, E., 2002. Neuroimaging in neuropsychiatry. *Seminars in Clinical Neuropsychiatry*. 7, 42-53.
- Gorelova, N., Seamans, J. K., Yang, C. R., 2002. Mechanisms of dopamine activation of fast-spiking interneurons that exert inhibition in rat prefrontal cortex. *Journal of Neurophysiology*. 88, 3150-3166.
- Gotham, A. M., Brown, R. G., Marsden, C. D., 1988. 'Frontal' cognitive function in patients with Parkinson's disease 'on' and 'off' levodopa. *Brain*. 111 (Pt 2), 299-321.
- Grace, A. A., 1991. Phasic versus tonic dopamine release and the modulation of dopamine system responsivity: a hypothesis for the etiology of schizophrenia. *Neuroscience*. 41, 1-24.
- Grace, A. A., 1993. Cortical regulation of subcortical dopamine systems and its possible relevance to schizophrenia. *Journal of Neural Transmission. General Section*. 91, 111-134.
- Grace, A. A., 2002. Dopamine. In: Davis, K. L. et al. (Eds.), *Neuropsychopharmacology: The Fifth Generation of Progress*. Lippincott Williams & Wilkins.
- Grasby, P. M., 2002. Imaging the neurochemical brain in health and disease. *Clinical Medicine*. 2, 67-73.
- Gray, M., Kemp, A. H., Silberstein, R. B., Nathan, P. J., 2003. Cortical neurophysiology of anticipatory anxiety: an investigation utilizing steady state probe topography (SSPT). *Neuroimage*. 20, 975-986.

- Green, A., Ellis, K. A., Ellis, J., Bartholomeusz, C. F., Ilic, S., Croft, R. J., Luan Phan, K., Nathan, P. J., 2005. Muscarinic and nicotinic receptor modulation of object and spatial n-back working memory in humans. *Pharmacology, Biochemistry and Behavior*.
- Green, M. F., Kern, R. S., Braff, D. L., Mintz, J., 2000. Neurocognitive deficits and functional outcome in schizophrenia: are we measuring the "right stuff"? *Schizophrenia Bulletin*. 26, 119-136.
- Gresch, P. J., Sved, A. F., Zigmond, M. J., Finlay, J. M., 1995. Local influence of endogenous norepinephrine on extracellular dopamine in rat medial prefrontal cortex. *Journal of Neurochemistry*. 65, 111-116.
- Grobin, A. C., Deutch, A. Y., 1998. Dopaminergic regulation of extracellular gamma-aminobutyric acid levels in the prefrontal cortex of the rat. *Journal of Pharmacology and Experimental Therapeutics*. 285, 350-357.
- Gross, C. G., Weiskrantz, L., 1962. Evidence for dissociation of impairment on auditory discrimination and delayed response following lateral frontal lesions in monkeys. *Experimental Neurology*. 5, 453-476.
- Guthrie, D., Buchwald, J. S., 1991. Significance testing of difference potentials. *Psychophysiology*. 28, 240-244.
- Gutnikov, S. A., Rawlins, J. N. P., 1996. Systematic NMDA antagonist CGP-37849 produces non-specific impairment in working memory tasks : the effect does not resemble those of AP5 and of lesions of the hippocampus or fornix. *Neuropsychologia*. 34, 311-314.
- Haberlandt, K., 1997. Cognitive Psychology (2nd Ed.). Allyn & Bacon, Boston.
- Halgren, E., Boujon, C., Clarke, J., Wang, C., Chauvel, P., 2002. Rapid distributed fronto-parieto-occipital processing stages during working memory in humans. *Cerebral Cortex*. 12, 710-728.
- Hammers, A., Allom, R., Koepp, M. J., Free, S. L., Myers, R., Lemieux, L., Mitchell, T. N., Brooks, D. J., Duncan, J. S., 2003. Three-dimensional maximum probability atlas of the human brain, with particular reference to the temporal lobe. *Human Brain Mapping*. 19, 224-247.
- Harmer, C. J., McTavish, S. F., Clark, L., Goodwin, G. M., Cowen, P. J., 2001. Tyrosine depletion attenuates dopamine function in healthy volunteers. *Psychopharmacology*. 154, 105-111.

- Harrison, B. J., Olver, J. S., Norman, T. R., Burrows, G. D., Wesnes, K. A., Nathan, P. J., 2004. Selective effects of acute serotonin and catecholamine depletion on memory in healthy women. *Journal of Psychopharmacology*. 18, 29-36.
- Hashiguti, H., Nakahara, D., Maruyama, W., Naoi, M., Ikeda, T., 1993. Simultaneous determination of in vivo hydroxylation of tyrosine and tryptophan in rat striatum by microdialysis-HPLC: relationship between dopamine and serotonin biosynthesis. *Journal of Neural Transmission. General Section*. 93, 213-223.
- Hautzel, H., Mottaghy, F. M., Schmidt, D., Zemb, M., Shah, N. J., Muller-Gartner, H. W., Krause, B. J., 2002. Topographic segregation and convergence of verbal, object, shape and spatial working memory in humans. *Neuroscience Letters*. 323, 156-160.
- Haxby, J. V., Petit, L., Ungerleider, L. G., Courtney, S. M., 2000. Distinguishing the functional roles of multiple regions in distributed neural systems for visual working memory. *Neuroimage*. 11, 380-391.
- Heilman, K. M., Bowers, D., Valenstein, E., Watson, R. T., 1986. The right hemisphere: neuropsychological functions. *Journal of Neurosurgery*. 64, 693-704.
- Herbert, M., Johns, M. W., Dore, C., 1976. Factor analysis of analogue scales measuring subjective feelings before and after sleep. *British Journal of Medical Psychology*. 49, 373-379.
- Heuther, G., Hajak, G., Reimer, A., Poeggeler, B., Blomer, M., Rodenbeck, A., Ruther, E., 1992. The metabolic fate of infused L-tryptophan in men: possible clinical implications of the accumulation of circulating tryptophan and tryptophan metabolites. *Psychopharmacology*. 109., 422–432.
- Hindmarch, I., Parrott, A. C., 1977. Repeated dose comparison of nomifensine, imipramine and placebo on subjective assessments of sleep and objective measures of psychomotor performance. *British Journal of Clinical Pharmacology*. 4 Suppl 2, 167S-173S.
- Hodgson, T. L., Kennard, C., 2000. Disorders of higher visual function and hemi-spatial neglect. *Current Opinion in Neurology*. 13, 7-12.
- Honey, G. D., Bullmore, E. T., 2002. Functional neuroimaging and schizophrenia. *Psychiatry*. 1, 26-29.

- Honey, G. D., Bullmore, E. T., Soni, W., Varatheesan, M., Williams, S. C., Sharma, T., 1999. Differences in frontal cortical activation by a working memory task after substitution of risperidone for typical antipsychotic drugs in patients with schizophrenia. *Proceedings of the National Academy of Sciences of the United States of America*. 96, 13432-13437.
- Jacobsen, C. F., 1935. Functions of frontal association areas in primates. *Archives of Neurology and Psychiatry*. 33, 558-560.
- Jacobsen, C. F., 1936. The functions of the frontal association areas in monkeys. *Comparative Psychology Monographs*. 13, 1-60.
- Jakala, P., Riekkinen, M., Sirvio, J., Koivisto, E., Kejonen, K., Vanhanen, M., Riekkinen, P., Jr., 1999. Guanfacine, but not clonidine, improves planning and working memory performance in humans. *Neuropsychopharmacology*. 20, 460-470.
- Jansma, J. M., Ramsey, N. F., Coppola, R., Kahn, R. S., 2000. Specific versus nonspecific brain activity in a parametric N-back task. *Neuroimage*. 12, 688-697.
- Jaskiw, G. E., Bongiovanni, R., 2004. Brain tyrosine depletion attenuates haloperidol-induced striatal dopamine release in vivo and augments haloperidol-induced catalepsy in the rat. *Psychopharmacology*. 172, 100-107.
- Jensen, O., Gelfand, J., Kounios, J., Lisman, J. E., 2002. Oscillations in the alpha band (9-12 Hz) increase with memory load during retention in a short-term memory task. *Cerebral Cortex*. 12, 877-882.
- Jensen, O., Tesche, C. D., 2002. Frontal theta activity in humans increases with memory load in a working memory task. *European Journal of Neuroscience*. 15, 1395-1399.
- Jentsch, J. D., Roth, R. H., 1999. The neuropsychopharmacology of phencyclidine: from NMDA receptor hypofunction to the dopamine hypothesis of schizophrenia. *Neuropsychopharmacology*. 20, 201-225.
- Jonides, J., Schumacher, E. H., Smith, E. E., Lauber, E. J., Awh, E., Minoshima, S., Koeppe, R. A., 1997. Verbal working memory load affects regional brain activation as measured by PET. *Journal of Cognitive Neuroscience*. 9, 462-475.

- Jonides, J., Smith, E. E., Koepp, R. A., Awh, E., Minoshima, S., Mintun, M. A., 1993. Spatial working memory in humans as revealed by PET. *Nature*. 363, 623-625.
- Joseph, R., 1988. The right cerebral hemisphere: emotion, music, visual-spatial skills, body-image, dreams, and awareness. *Journal of Clinical Psychology*. 44, 630-673.
- Kalivas, P. W., Volkow, N. D., 2005. The neural basis of addiction: a pathology of motivation and choice. *American Journal of Psychiatry*. 162, 1403-1413.
- Kandel, E. R., 1991. Perception of motion, depth and form. In: Kandel, E. R. et al. (Eds.), *Principles of neural science: third edition*. Appleton and Lange, Connecticut.
- Kapur, S., Remington, G., 1996. Serotonin-dopamine interaction and its relevance to schizophrenia. *American Journal of Psychiatry*. 153, 466-476.
- Kawahara, H., Kawahara, Y., Westerink, B. H., 2001. The noradrenaline-dopamine interaction in the rat medial prefrontal cortex studied by multi-probe microdialysis. *European Journal of Pharmacology*. 418, 177-186.
- Kebabian, J. W., 1993. Brain dopamine receptors: 20 years of progress. *Neurochemical Research*. 18, 101-104.
- Kebabian, J. W., Calne, D. B., 1979. Multiple receptors for dopamine. *Nature*. 277, 93-96.
- Kellett, M. W., Steiger, M. J., 1999. Deterioration in parkinsonism with low-dose pergolide. *Journal of Neurology*. 246, 309-311.
- Kemp, A. H., Gray, M. A., Eide, P., Silberstein, R. B., Nathan, P. J., 2002. Steady-state visually evoked potential topography during processing of emotional valence in healthy subjects. *Neuroimage*. 17, 1684-1692.
- Kemp, A. H., Gray, M. A., Silberstein, R. B., Armstrong, S. M., Nathan, P. J., 2004. Augmentation of serotonin enhances pleasant and suppresses unpleasant cortical electrophysiological responses to visual emotional stimuli in humans. *Neuroimage*. 22, 1084-1096.
- Kim, J. J., Kim, M. S., Lee, J. S., Lee, D. S., Lee, M. C., Kwon, J. S., 2002. Dissociation of working memory processing associated with native and second languages: PET investigation. *Neuroimage*. 15, 879-891.
- Kim, J. J., Kwon, J. S., Park, H. J., Youn, T., Kang do, H., Kim, M. S., Lee, D. S., Lee, M. C., 2003. Functional disconnection between the prefrontal and parietal

- cortices during working memory processing in schizophrenia: a[15(O)]H₂O PET study. *American Journal of Psychiatry.* 160, 919-923.
- Kimberg, D. Y., Aguirre, G. K., Lease, J., D'Esposito, M., 2001. Cortical effects of bromocriptine, a D-2 dopamine receptor agonist, in human subjects, revealed by fMRI. *Human Brain Mapping.* 12, 246-257.
- Kimberg, D. Y., D'Esposito, M., 2003. Cognitive effects of the dopamine receptor agonist pergolide. *Neuropsychologia.* 41, 1020-1027.
- Kimberg, D. Y., D'Esposito, M., Farah, M. J., 1997. Effects of bromocriptine on human subjects depend on working memory capacity. *Neuroreport.* 8, 3581-3585.
- Kimura, D., 1996. Sex, sexual orientation and sex hormones influence human cognitive function. *Current Opinion in Neurobiology.* 6, 259-263.
- Kish, S. J., Shannak, K., Hornykiewicz, O., 1988. Uneven pattern of dopamine loss in the striatum of patients with idiopathic Parkinson's disease. Pathophysiologic and clinical implications. *New England Journal of Medicine.* 318, 876-880.
- Klimesch, W., Doppelmayr, M., Schwaiger, J., Auinger, P., Winkler, T., 1999. 'Paradoxical' alpha synchronization in a memory task. *Brain Research. Cognitive Brain Research.* 7, 493-501.
- Klimesch, W., Schimke, H., Pfurtscheller, G., 1993. Alpha frequency, cognitive load and memory performance. *Brain Topography.* 5, 241-251.
- Knight, R. T., Staines, W. R., Swick, D., Chao, L. L., 1999. Prefrontal cortex regulates inhibition and excitation in distributed neural networks. *Acta Psychologica.* 101, 159-178.
- Koechlin, E., Basso, G., Pietrini, P., Panzer, S., Grafman, J., 1999. The role of the anterior prefrontal cortex in human cognition. *Nature.* 399, 148-151.
- Kojima, S., Goldman-Rakic, P. S., 1982. Delay-related activity of prefrontal neurons in rhesus monkeys performing delayed response. *Brain Research.* 248, 43-49.
- Kopelman, M. D., Corn, T. H., 1988. Cholinergic 'blockade' as a model for cholinergic depletion. A comparison of the memory deficits with those of Alzheimer-type dementia and the alcoholic Korsakoff syndrome. *Brain.* 111 (Pt 5), 1079-1110.
- Krause, C. M., Sillanmaki, L., Koivisto, M., Saarela, C., Haggqvist, A., Laine, M., Hamalainen, H., 2000. The effects of memory load on event-related EEG

- desynchronization and synchronization. *Clinical Neurophysiology*. 111, 2071-2078.
- Kubota, K., Niki, H., 1971. Prefrontal cortical unit activity and delayed alternation performance in monkeys. *Journal of Neurophysiology*. 34, 337-347.
- Kulisevsky, J., Avila, A., Barbanoj, M., Antonijan, R., Berthier, M. L., Gironell, A., 1996. Acute effects of levodopa on neuropsychological performance in stable and fluctuating Parkinson's disease patients at different levodopa plasma levels. *Brain*. 119 (Pt 6), 2121-2132.
- Lachman, H. M., Papolos, D. F., Saito, T., Yu, Y. M., Szumlanski, C. L., Weinshilboum, R. M., 1996. Human catechol-O-methyltransferase pharmacogenetics: description of a functional polymorphism and its potential application to neuropsychiatric disorders. *Pharmacogenetics*. 6, 243-250.
- Lange, K. W., Robbins, T. W., Marsden, C. D., James, M., Owen, A. M., Paul, G. M., 1992. L-dopa withdrawal in Parkinson's disease selectively impairs cognitive performance in tests sensitive to frontal lobe dysfunction. *Psychopharmacology*. 107, 394-404.
- Langtry, H. D., Clissold, S. P., 1990. Pergolide. A review of its pharmacological properties and therapeutic potential in Parkinson's disease. *Drugs*. 39, 491-506.
- Laruelle, M., D'Souza, C. D., Baldwin, R. M., Abi-Dargham, A., Kanes, S. J., Fingado, C. L., Seibyl, J. P., Zoghbi, S. S., Bowers, M. B., Jatlow, P., Charney, D. S., Innis, R. B., 1997a. Imaging D2 receptor occupancy by endogenous dopamine in humans. *Neuropsychopharmacology*. 17, 162-174.
- Laruelle, M., Iyer, R. N., al-Tikriti, M. S., Zea-Ponce, Y., Malison, R., Zoghbi, S. S., Baldwin, R. M., Kung, H. F., Charney, D. S., Hoffer, P. B., Innis, R. B., Bradberry, C. W., 1997b. Microdialysis and SPECT measurements of amphetamine-induced dopamine release in nonhuman primates. *Synapse*. 25, 1-14.
- Leblond, L., Beaufort, C., Delerue, F., Durkin, T. P., 2002. Differential roles for nicotinic and muscarinic cholinergic receptors in sustained visuo-spatial attention? A study using a 5-arm maze protocol in mice. *Behavioural Brain Research*. 128, 91-102.
- Lee, F. J., Liu, F., 2004. Direct interactions between NMDA and D1 receptors: a tale of tails. *Biochemical Society Transactions*. 32, 1032-1036.

- Levin, E. D., Rose, J. E., 1995. Acute and chronic nicotinic interactions with dopamine systems and working memory performance. *Annals of the New York Academy of Sciences.* 757, 245-252.
- Levin, E. D., Rose, J. E., McGurk, S. R., Butcher, L. L., 1990. Characterisation of cognitive effects of combined muscarinic and nicotinic blockade. *Behavioral Neural Biology.* 53, 103–112.
- Levy, R., Goldman-Rakic, P. S., 2000. Segregation of working memory functions within the dorsolateral prefrontal cortex. *Experimental Brain Research.* 133, 23-32.
- Lewis, D. A., Melchitzky, D. S., Sesack, S. R., Whitehead, R. E., Auh, S., Sampson, A., 2001. Dopamine transporter immunoreactivity in monkey cerebral cortex: regional, laminar, and ultrastructural localization. *Journal of Comparative Neurology.* 432, 119-136.
- Lewis, D. A., Morrison, J. H., Goldstein, M., 1988. Brainstem dopaminergic neurons project to monkey parietal cortex. *Neuroscience Letters.* 86, 11-16.
- Leyton, M., Casey, K., Delaney, J. S., LKolivakis, T., Benkefat, C., 2004a. Cocaine craving, euphoria, and self-administration: the effect of dopamine depletion. *Neuropsychopharmacology.* 29, S136.
- Leyton, M., Dagher, A., Boileau, I., Casey, K., Baker, G. B., Diksic, M., Gunn, R., Young, S. N., Benkelfat, C., 2004b. Decreasing amphetamine-induced dopamine release by acute phenylalanine/tyrosine depletion: A PET/[11C]raclopride study in healthy men. *Neuropsychopharmacology.* 29, 427-432.
- Leyton, M., Young, S. N., Blier, P., Baker, G. B., Pihl, R. O., Benkelfat, C., 2000. Acute tyrosine depletion and alcohol ingestion in healthy women. *Alcoholism, Clinical and Experimental Research.* 24, 459-464.
- Lidow, M. S., Goldman-Rakic, P. S., 1994. A common action of clozapine, haloperidol, and remoxipride on D1- and D2-dopaminergic receptors in the primate cerebral cortex. *Proceedings of the National Academy of Sciences of the United States of America.* 91, 4353-4356.
- Lidow, M. S., Goldman-Rakic, P. S., Gallager, D. W., Rakic, P., 1991. Distribution of dopaminergic receptors in the primate cerebral cortex : quantitative autoradiographic analysis using [3H]raclopride, [3H]spiperone and [3H]SCH23390. *Neuroscience.* 40, 657-671.

- Lin, J. S., Roussel, B., Akaoka, H., Fort, P., Debilly, G., Jouvet, M., 1992. Role of catecholamines in the modafinil and amphetamine induced wakefulness, a comparative pharmacological study in the cat. *Brain Research*. 591, 319-326.
- Lindvall, O., Bjorklund, A., 1978. Anatomy of the dopaminergic neuron systems in the rat brain. *Advances in Biochemical Psychopharmacology*. 19, 1-23.
- Lopez-Sendon, J., Swedberg, K., McMurray, J., Tamargo, J., Maggioni, A. P., Dargie, H., Tendera, M., Waagstein, F., Kjekshus, J., Lechat, P., Torp-Pedersen, C., 2004. Expert consensus document on beta-adrenergic receptor blockers. *European Heart Journal*. 25, 1341-1362.
- Luciana, M., Burgund, E. D., Berman, M., Hanson, K. L., 2001. Effects of tryptophan loading on verbal, spatial and affective working memory functions in healthy adults. *Journal of Psychopharmacology*. 15, 219-230.
- Luciana, M., Collins, P., 1997. Dopaminergic modulation of working memory for spatial but not object cues in normal humans. *Journal of Cognitive Neuroscience*. 9, 330-347.
- Luciana, M., Collins, P. F., Depue, R. A., 1998. Opposing roles for dopamine and serotonin in the modulation of human spatial working memory functions. *Cerebral Cortex*. 8, 218-226.
- Luciana, M., Depue, R. A., Arbisi, P., Leon, A., 1992. Facilitation of working memory in humans by a D2 receptor agonist. *Journal of Cognitive Neuroscience*. 4, 58-68.
- Lythe, K. E., Anderson, I. M., Deakin, J. F., Elliott, R., Strickland, P. L., 2005. Lack of behavioural effects after acute tyrosine depletion in healthy volunteers. *Journal of Psychopharmacology*. 19, 5-11.
- Malhotra, A. K., Kestler, L. J., Mazzanti, C., Bates, J. A., Goldberg, T., Goldman, D., 2002. A functional polymorphism in the COMT gene and performance on a test of prefrontal cognition. *American Journal of Psychiatry*. 159, 652-654.
- Manoach, D. S., 2003. Prefrontal cortex dysfunction during working memory performance in schizophrenia: reconciling discrepant findings. *Schizophrenia Research*. 60, 285-298.
- Markham, A., Benfield, P., 1997. Pergolide: a review of its pharmacology and therapeutic use in Parkinson's disease. *CNS Drugs*. 7, 328 -340.
- Martinkauppi, S., Rama, P., Aronen, H. J., Korvenoja, A., Carlson, S., 2000. Working memory of auditory localization. *Cerebral Cortex*. 10, 889-898.

- Mattay, V. S., Callicott, J. H., Bertolino, A., Heaton, I., Frank, J. A., Coppola, R., Berman, K. F., Goldberg, T. E., Weinberger, D. R., 2000. Effects of dextroamphetamine on cognitive performance and cortical activation. *Neuroimage*. 12, 268-275.
- Mattay, V. S., Goldberg, T. E., Fera, F., Hariri, A. R., Tessitore, A., Egan, M. F., Kolachana, B., Callicott, J. H., Weinberger, D. R., 2003. Catechol O-methyltransferase val158-met genotype and individual variation in the brain response to amphetamine. *Proceedings of the National Academy of Sciences of the United States of America*. 100, 6186-6191.
- Mawlawi, O., Martinez, D., Slifstein, M., Broft, A., Chatterjee, R., Hwang, D. R., Huang, Y., Simpson, N., Ngo, K., Van Heertum, R., Laruelle, M., 2001. Imaging human mesolimbic dopamine transmission with positron emission tomography: I. Accuracy and precision of D(2) receptor parameter measurements in ventral striatum. *Journal of Cerebral Blood Flow and Metabolism*. 21, 1034-1057.
- Mazziotta, J. C., 1996. Time and space: the concept of resolution. In: Toga, A. W. and Mazziotta, J. C. (Eds.), *Brain mapping: the methods*. Academic press, San Diego.
- McCulloch, J., 1982. Mapping functional alterations in the CNS with ¹⁴C-deoxyglucose. In: Iversen, L. L. et al. (Eds.), *Handbook of Psychopharmacology* Vol. 15. Plenum Press, New York, pp. 321–409.
- McCulloch, J., Kelly, P. A., Ford, I., 1982. Effect of apomorphine on the relationship between local cerebral glucose utilization and local cerebral blood flow (with an appendix on its statistical analysis). *Journal of Cerebral Blood Flow and Metabolism*. 2, 487-499.
- McEvoy, L. K., Smith, M. E., Gevins, A., 1998. Dynamic cortical networks of verbal and spatial working memory: effects of memory load and task practice. *Cerebral Cortex*. 8, 563-574.
- McLean, A., Rubinsztein, J. S., Robbins, T. W., Sahakian, B. J., 2004. The effects of tyrosine depletion in normal healthy volunteers: implications for unipolar depression. *Psychopharmacology*. 171, 286-297.
- McTavish, S. F., Callado, L., Cowen, P. J., Sharp, T., 1999a. Comparison of the effects of alpha-methyl-p-tyrosine and a tyrosine-free amino acid load on

- extracellular noradrenaline in the rat hippocampus *in vivo*. *Journal of Psychopharmacology*. 13, 379-384.
- McTavish, S. F., Cowen, P. J., Sharp, T., 1999b. Effect of a tyrosine-free amino acid mixture on regional brain catecholamine synthesis and release. *Psychopharmacology*. 141, 182-188.
- McTavish, S. F., Mannie, Z. N., Cowen, P. J., 2004. Tyrosine depletion does not cause depressive relapse in antidepressant-treated patients. *Psychopharmacology*. 175, 124-126.
- McTavish, S. F., Mannie, Z. N., Harmer, C. J., Cowen, P. J., 2005. Lack of effect of tyrosine depletion on mood in recovered depressed women. *Neuropsychopharmacology*. 30, 786-791.
- McTavish, S. F., McPherson, M. H., Harmer, C. J., Clark, L., Sharp, T., Goodwin, G. M., Cowen, P. J., 2001a. Antidopaminergic effects of dietary tyrosine depletion in healthy subjects and patients with manic illness. *British Journal of Psychiatry*. 179, 356-360.
- McTavish, S. F., McPherson, M. H., Sharp, T., Cowen, P. J., 1999c. Attenuation of some subjective effects of amphetamine following tyrosine depletion. *Journal of Psychopharmacology*. 13, 144-147.
- McTavish, S. F., Raumann, B., Cowen, P. J., Sharp, T., 2001b. Tyrosine depletion attenuates the behavioural stimulant effects of amphetamine and cocaine in rats. *European Journal of Pharmacology*. 424, 115-119.
- Mehta, M. A., Gumaste, D., Montgomery, A. J., McTavish, S. F., Grasby, P. M., 2005a. The effects of acute tyrosine and phenylalanine depletion on spatial working memory and planning in healthy volunteers are predicted by changes in striatal dopamine levels. *Psychopharmacology*. 180, 654-663.
- Mehta, M. A., Hinton, E. C., Montgomery, A. J., Bantick, R. A., Grasby, P. M., 2005b. Sulpiride and mnemonic function: effects of a dopamine D2 receptor antagonist on working memory, emotional memory and long-term memory in healthy volunteers. *Journal of Psychopharmacology*. 19, 29-38.
- Mehta, M. A., Manes, F. F., Magnolfi, G., Sahakian, B. J., Robbins, T. W., 2004. Impaired set-shifting and dissociable effects on tests of spatial working memory following the dopamine D2 receptor antagonist sulpiride in human volunteers. *Psychopharmacology*. 176, 331-342.

- Mehta, M. A., McGowan, S. W., Lawrence, A. D., Aitken, M. R., Montgomery, A. J., Grasby, P. M., 2003. Systemic sulpiride modulates striatal blood flow: relationships to spatial working memory and planning. *Neuroimage*. 20, 1982-1994.
- Mehta, M. A., Owen, A. M., Sahakian, B. J., Mavaddat, N., Pickard, J. D., Robbins, T. W., 2000. Methylphenidate enhances working memory by modulating discrete frontal and parietal lobe regions in the human brain. *Journal of Neuroscience*. 20, RC65.
- Mehta, M. A., Sahakian, B. J., McKenna, P. J., Robbins, T. W., 1999. Systemic sulpiride in young adult volunteers simulates the profile of cognitive deficits in Parkinson's disease. *Psychopharmacology*. 146, 162-174.
- Mehta, M. A., Swainson, R., Ogilvie, A. D., Sahakian, J., Robbins, T. W., 2001. Improved short-term spatial memory but impaired reversal learning following the dopamine D(2) agonist bromocriptine in human volunteers. *Psychopharmacology*. 159, 10-20.
- Mellet, E., Tzourio, N., Crivello, F., Joliot, M., Denis, M., Mazoyer, B., 1996. Functional anatomy of spatial mental imagery generated from verbal instructions. *Journal of Neuroscience*. 16, 6504-6512.
- Mesulam, M., 2000. Attentional networks, confusional states, and neglect syndromes. In: Mesulam, M. (Ed.), *Principles of behavioral and cognitive neurology*. Oxford University Press, New York, pp. 174–256.
- Mewaldt, S. P., Ghoneim, M. M., 1979. The effects and interactions of scopolamine, physostigmine and methamphetamine on human memory. *Pharmacology, Biochemistry and Behavior*. 10, 205-210.
- Meyer-Lindenberg, A., Poline, J. B., Kohn, P. D., Holt, J. L., Egan, M. F., Weinberger, D. R., Berman, K. F., 2001. Evidence for abnormal cortical functional connectivity during working memory in schizophrenia. *American Journal of Psychiatry*. 158, 1809-1817.
- Miller, E. K., Erickson, C. A., Desimone, R., 1996. Neural mechanisms of visual working memory in prefrontal cortex of the macaque. *Journal of Neuroscience*. 16, 5154-5167.
- Milner, J. D., Irie, K., Wurtman, R. J., 1986. Effects of phenylalanine on the release of endogenous dopamine from rat striatal slices. *Journal of Neurochemistry*. 47, 1444-1448.

- Mirza, N. R., Stolerman, I. P., 2000. The role of nicotinic and muscarinic acetylcholine receptors in attention. *Psychopharmacology*. 148, 243-250.
- Mishkin, M., 1957. Effects of small frontal lesions on delayed alternation in monkeys. *Journal of Neurophysiology*. 20, 615-622.
- Mishkin, M., Manning, F. J., 1978. Non-spatial memory after selective prefrontal lesions in monkeys. *Brain Research*. 143, 313-323.
- Miura, N., Nakata, N., Tanaka, Y., Hiraga, Y., Ikeda, Y., Ohata, H., Iwasaki, T., 1993. Improving effects of FG-7080, a serotonin reuptake inhibitor, on scopolamine-induced performance deficits of memory tasks in rats. *Japanese Journal of Pharmacology*. 62, 203-206.
- Miyagi, M., Itoh, F., Taya, F., Arai, N., Isaji, M., Kojima, M., Ujiie, A., 1996. Dopamine receptor affinities in vitro and stereotypic activities in vivo of cabergoline in rats. *Biological and Pharmaceutical Bulletin*. 19, 1210-1213.
- Miyake, A., Shah, P., 1999. Models of working memory: mechanisms of active maintenance and executive control. Cambridge University Press, New York.
- Moja, E. A., Lucini, V., Benedetti, F., Lucca, A., 1996. Decrease in plasma phenylalanine and tyrosine after phenylalanine-tyrosine free amino acid solutions in man. *Life Sciences*. 58, 2389-2395.
- Molina, P. E., Ahmed, N., Gatley, J., Volkow, N. D., Abumrad, N. N., 2001. L-tryptophan attenuation of the dopaminergic and behavioral responses to cocaine. *Life Sciences*. 69, 1897-1906.
- Montgomery, A. J., McTavish, S. F., Cowen, P. J., Grasby, P. M., 2003. Reduction of brain dopamine concentration with dietary tyrosine plus phenylalanine depletion: an [¹¹C]raclopride PET study. *American Journal of Psychiatry*. 160, 1887-1889.
- Moore, R. Y., Bloom, F. E., 1979. Central catecholamine neuron systems: anatomy and physiology of the norepinephrine and epinephrine systems. *Annual Review of Neuroscience*. 2, 113-168.
- Moron, J. A., Brockington, A., Wise, R. A., Rocha, B. A., Hope, B. T., 2002. Dopamine uptake through the norepinephrine transporter in brain regions with low levels of the dopamine transporter: evidence from knock-out mouse lines. *Journal of Neuroscience*. 22, 389-395.
- Muller, U., Mottweiler, E., Bublak, P., 2005. Noradrenergic blockade and numeric working memory in humans. *Journal of Psychopharmacology*. 19, 21-28.

- Muller, U., Steffenhagen, N., Regenthal, R., Bublak, P., 2004. Effects of modafinil on working memory processes in humans. *Psychopharmacology*. 177, 161-169.
- Muller, U., von Cramon, D. Y., Pollmann, S., 1998. D1- versus D2-receptor modulation of visuospatial working memory in humans. *Journal of Neuroscience*. 18, 2720-2728.
- Murray, M. M., Wylie, G. R., Higgins, B. A., Javitt, D. C., Schroeder, C. E., Foxe, J. J., 2002. The spatiotemporal dynamics of illusory contour processing: combined high-density electrical mapping, source analysis, and functional magnetic resonance imaging. *Journal of Neuroscience*. 22, 5055-5073.
- Nagatsu, T., Levitt, M., Udenfriend, S., 1964. Tyrosine Hydroxylase. The Initial Step in Norepinephrine Biosynthesis. *Journal of Biological Chemistry*. 239, 2910-2917.
- Nelson, H. E., Willison, J. R., 1991. The revised National Adult Reading Test - Test Manual. NFER-Nelson.
- Nield, G., Silberstein, R. B., Pipingas, A., Simpson, D. G., Burkitt, G. I., 1998. Effects of visual vigilance task on gamma and alpha frequency range steady state potential SSVEP topography. In: Koga, Y. et al. (Eds.), *Brain Topography Today*, vol.189-194. Elsevier Science,.
- Nieoullon, A., 2002. Dopamine and the regulation of cognition and attention. *Progress in Neurobiology*. 67, 53-83.
- Niki, H., 1974a. Prefrontal unit activity during delayed alternation in the monkey. I. Relation to direction of response. *Brain Research*. 68, 185-196.
- Niki, H., 1974b. Prefrontal unit activity during delayed alternation in the monkey. II. Relation to absolute versus relative direction of response. *Brain Research*. 68, 197-204.
- Nishizawa, S., Benkelfat, C., Young, S. N., Leyton, M., Mzengeza, S., de Montigny, C., Blier, P., Diksic, M., 1997. Differences between males and females in rates of serotonin synthesis in human brain. *Proceedings of the National Academy of Sciences of the United States of America*. 94, 5308–5313.
- Nunez, P. L., 1981. Electric fields in the brain: the neurophysics of EEG. Oxford University Press, New York.
- Nystrom, L. E., Braver, T. S., Sabb, F. W., Delgado, M. R., Noll, D. C., Cohen, J. D., 2000. Working memory for letters, shapes, and locations: fMRI evidence

- against stimulus-based regional organization in human prefrontal cortex. *Neuroimage*. 11, 424-446.
- Ohno, M., Watanabe, S., 1997. Differential effects of 5-HT3 receptor antagonism on working memory failure due to deficiency of hippocampal cholinergic and glutamatergic transmission in rats. *Brain Research*. 762, 211-215.
- Ohno, M., Yamamoto, T., Watanabe, S., 1992. Effect of intrahippocampal injections of N-methyl-d-aspartate receptor antagonists and scopolamine on working and reference memory assessed in rats by a three-panel runaway task. *Journal of Pharmacology and Experimental Therapeutics*. 263, 943-950.
- Ohno, M., Yamamoto, T., Watanabe, S., 1993. Amygdaloid NMDA and muscarinic receptors involved in working memory performance of rats. *Physiology and Behavior*. 54, 993-997.
- Oldendorf, W. H., Szabo, J., 1976. Amino acid assignment to one of three blood-brain barrier amino acid carriers. *American Journal of Physiology*. 230, 94-98.
- Oldfield, R. C., 1971. The assessment and analysis of handedness: the Edinburgh inventory. *Neuropsychologia*. 9, 97– 113.
- O'Scalaidhe, S., Wilson, F. A., Goldman-Rakic, P. S., 1997. Areal segregation of face-processing neurons in prefrontal cortex. *Science*. 278, 1135-1138.
- O'Scalaidhe, S. P., Wilson, F. A., Goldman-Rakic, P. S., 1999. Face-selective neurons during passive viewing and working memory performance of rhesus monkeys: evidence for intrinsic specialization of neuronal coding. *Cerebral Cortex*. 9, 459-475.
- Owen, A. M., 1997. The functional organization of working memory processes within human lateral frontal cortex: the contribution of functional neuroimaging. *European Journal of Neuroscience*. 9, 1329-1339.
- Owen, A. M., 2000. The role of the lateral frontal cortex in mnemonic processing: the contribution of functional neuroimaging. *Experimental Brain Research*. 133, 33-43.
- Owen, A. M., Evans, A. C., Petrides, M., 1996. Evidence for a two-stage model of spatial working memory processing within the lateral frontal cortex: a positron emission tomography study. *Cerebral Cortex*. 6, 31-38.
- Owen, A. M., Herrod, N. J., Menon, D. K., Clark, J. C., Downey, S. P. M. J., Carpenter, T. A., Minhas, P. S., Turkheimer, F. E., Williams, E. J., Robbins, T. W., Sahakian, B. J., Petrides, M., Pickard, J. D., 1999. Redefining the

- functional organization of working memory processes within human lateral prefrontal cortex. *European Journal of Neuroscience*. 11, 567-574.
- Owen, A. M., McMillan, K. M., Laird, A. R., Bullmore, E., 2005. N-back working memory paradigm: A meta-analysis of normative functional neuroimaging studies. *Human Brain Mapping*. 25, 46-59.
- Owen, A. M., Stern, C. E., Look, R. B., Tracey, I., Rosen, B. R., Petrides, M., 1998. Functional organization of spatial and nonspatial working memory processing within the human lateral frontal cortex. *Proceedings of the National Academy of Sciences of the United States of America*. 95, 7721-7726.
- Papanicolaou, A. C., Johnstone, J., 1984. Probe evoked potentials: theory, method and applications. *International Journal of Neuroscience*. 24, 107-131.
- Pardridge, W. M., 1977. Kinetics of competitive inhibition of neutral amino acid transport across the blood-brain barrier. *Journal of Neurochemistry*. 28, 103-108.
- Park, S., Holzman, P. S., 1992. Schizophrenics show spatial working memory deficits. *Archives of General Psychiatry*. 49, 975-982.
- Passingham, R., 1975. Delayed matching after selective prefrontal lesions in monkeys (*Macaca mulatta*). *Brain Research*. 92, 89-102.
- Perlstein, W. M., Cole, M. A., Larson, M., Kelly, K., Seignourel, P., Keil, A., 2003. Steady-state visual evoked potentials reveal frontally-mediated working memory activity in humans. *Neuroscience Letters*. 342, 191-195.
- Petit, L., Courtney, S. M., Ungerleider, L. G., Haxby, J. V., 1998. Sustained activity in the medial wall during working memory delays. *Journal of Neuroscience*. 18, 9429-9437.
- Petrides, M., 1989. Frontal lobes and memory. In: Boller, F. and Grafman, J. (Eds.), *Handbook of neuropsychology*. Elsevier, Amsterdam, pp. 601-614.
- Petrides, M., 1991. Monitoring of selections of visual stimuli and the primate frontal cortex. *Proceedings. Biological Sciences*. 246, 293-298.
- Petrides, M., 1994. Frontal lobes and working memory: evidence from investigations of the effects of cortical excisions in nonhuman primates. In: Boller, F. and Grafman, J. (Eds.), *Handbook of neuropsychology*. Elsevier Science, Amsterdam, pp. 59-84.

- Petrides, M., 1995. Impairments on nonspatial self-ordered and externally ordered working memory tasks after lesions of the mid-dorsal part of the lateral frontal cortex in the monkey. *Journal of Neuroscience*. 15, 359-375.
- Pfizer, 1996. PrimeMD: Primary care evaluation of mental disorders clinical evaluation guide. Pfizer Pty. Ltd, New York.
- Pfurtscheller, G., Aranibar, A., 1977. Event-related cortical desynchronization detected by power measurements of scalp EEG. *Electroencephalography and Clinical Neurophysiology*. 42, 817-826.
- Pfurtscheller, G., Klimesch, W., 1990. Topographical display and interpretation of event-related desynchronization during a visual-verbal task. *Brain Topography*. 3, 85-93.
- Pidoplichko, V. I., DeBiasi, M., Williams, J. T., Dani, J. A., 1997. Nicotine activates and desensitizes midbrain dopamine neurons. *Nature*. 390, 401-404.
- Pierrot-Deseilligny, C., Rivaud, S., Gaymard, B., Agid, Y., 1991. Cortical control of memory-guided saccades in man. *Experimental Brain Research*. 83, 607-617.
- Pontecorvo, M. J., Clissold, D. B., White, M. F., Ferkany, J. W., 1991. N-methyl-d-aspartate antagonists and working memory performance: comparison with the effects of scopolamine, propranolol, diazepam and phenylisopropyladenosine. *Behavioural Neuroscience*. 105, 521-535.
- Postle, B. R., Berger, J. S., Taich, A. M., D'Esposito, M., 2000. Activity in human frontal cortex associated with spatial working memory and saccadic behavior. *Journal of Cognitive Neuroscience*. 12 Suppl 2, 2-14.
- Postle, B. R., D'Esposito, M., 1999. "What"-Then-Where" in visual working memory: an event-related fMRI study. *Journal of Cognitive Neuroscience*. 11, 585-597.
- Postle, B. R., Druzgal, T. J., D'Esposito, M., 2003. Seeking the neural substrates of visual working memory storage. *Cortex*. 39, 927-946.
- Postle, B. R., Jonides, J., Smith, E. E., Corkin, S., Growdon, J. H., 1997a. Spatial, but not object, delayed response is impaired in early Parkinson's disease. *Neuropsychology*. 11, 171-179.
- Postle, B. R., Locascio, J. J., Corkin, S., Growdon, J. H., 1997b. The time course of spatial and object learning in Parkinson's disease. *Neuropsychologia*. 35, 1413-1422.

- Ptito, A., Crane, J., Leonard, G., Amsel, R., Caramanos, Z., 1995. Visual-spatial localization by patients with frontal-lobe lesions invading or sparing area 46. *Neuroreport*. 6, 1781-1784.
- Puma, C., Baudoin, C., Bizot, J., 1998. Effect of intraseptal infusion of N-methyl-d-aspartate receptor ligands on memory in an object recognition task in rats. *Neuroscience Letters*. 244, 97-100.
- Puma, C., Bizot, J., 1998. Intraseptal infusion of a low dose of AP5, a NMDA receptor antagonist, improves memory in an object recognition task in rats. *Neuroscience Letters*. 248, 183-186.
- Quintana, J., Fuster, J. M., 1993. Spatial and temporal factors in the role of prefrontal and parietal cortex in visuomotor integration. *Cerebral Cortex*. 3, 122-132.
- Quintana, J., Yajeya, J., Fuster, J. M., 1988. Prefrontal representation of stimulus attributes during delay tasks. I. Unit activity in cross-temporal integration of sensory and sensory-motor information. *Brain Research*. 474, 211-221.
- Ragland, J. D., Turetsky, B. I., Gur, R. C., Gunning-Dixon, F., Turner, T., Schroeder, L., Chan, R., Gur, R. E., 2002. Working memory for complex figures: an fMRI comparison of letter and fractal n-back tasks. *Neuropsychology*. 16, 370-379.
- Raichle, M. E., 1998. Behind the scenes of functional brain imaging: a historical and physiological perspective. *Proceedings of the National Academy of Sciences of the United States of America*. 95, 765-772.
- Raichle, M. E., Martin, W. R., Herscovitch, P., Mintun, M. A., Markham, J., 1983. Brain blood flow measured with intravenous H₂(15)O. II. Implementation and validation. *Journal of Nuclear Medicine*. 24, 790-798.
- Rama, P., Linnankoski, I., Tanila, H., Pertovaara, A., Carlson, S., 1996. Medetomidine, atipamezole, and guanfacine in delayed response performance of aged monkeys. *Pharmacology, Biochemistry and Behavior*. 55, 415-422.
- Rama, P., Martinkauppi, S., Linnankoski, I., Koivisto, J., Aronen, H. J., Carlson, S., 2001. Working memory of identification of emotional vocal expressions: an fMRI study. *Neuroimage*. 13, 1090-1101.
- Ramnani, N., Owen, A. M., 2004. Anterior prefrontal cortex: insights into function from anatomy and neuroimaging. *Nature Reviews Neuroscience*. 5, 184-194.
- Rao, S. C., Rainer, G., Miller, E. K., 1997. Integration of what and where in the primate prefrontal cortex. *Science*. 276, 821-824.

- Rao, S. G., Williams, G. V., Goldman-Rakic, P. S., 2000. Destruction and creation of spatial tuning by disinhibition: GABA(A) blockade of prefrontal cortical neurons engaged by working memory. *Journal of Neuroscience*. 20, 485-494.
- Rasmussen, D. D., Duder, J. D., 1979. Effects of scopolamine on maze learning performance in humans. *Experientia*. 15, 1069-1070.
- Ray, W. J., Cole, H. W., 1985. EEG alpha activity reflects attentional demands, and beta activity reflects emotional and cognitive processes. *Science*. 228, 750-752.
- Regan, D., 1989. Human brain electrophysiology: evoked potentials and evoked magnetic fields in science and medicine. Elsevier, New York.
- Reilly, J. G., McTavish, S. F., Young, A. H., 1997. Rapid depletion of plasma tryptophan: a review of studies and experimental methodology. *Journal of Psychopharmacology*. 11, 381-392.
- Rezai, K., Andreasen, N. C., Alliger, R., Cohen, G., Swayze, V., 2nd, O'Leary, D. S., 1993. The neuropsychology of the prefrontal cortex. *Archives of Neurology*. 50, 636-642.
- Rezvani, A. H., Levin, E. D., 2001. Cognitive effects of nicotine. *Biological Psychiatry*. 49, 258-267.
- Richter-Levin, G., Segal, M., 1989. Spatial performance is severely impaired in rats with combined reduction of serotonergic and cholinergic transmission. *Brain Research*. 477, 404-407.
- Riedel, W. J., 2004. Cognitive changes after acute tryptophan depletion: what can they tell us? *Psychological Medicine*. 34, 3-8.
- Riedel, W. J., Klaassen, T., Deutz, N. E., van Someren, A., van Praag, H. M., 1999. Tryptophan depletion in normal volunteers produces selective impairment in memory consolidation. *Psychopharmacology*. 141, 362-369.
- Riedel, W. J., Sobczak, S., Schmitt, J. A., 2003. Tryptophan modulation and cognition. *Advances in Experimental Medicine and Biology*. 527, 207-213.
- Robbins, T. W., Semple, J., Kumar, R., Truman, M. I., Shorter, J., Ferraro, A., Fox, B., McKay, G., Matthews, K., 1997. Effects of scopolamine on delayed-matching-to-sample and paired associates tests of visual memory and learning in human subjects: comparison with diazepam and implications for dementia. *Psychopharmacology*. 134, 95-106.

- Roberts, A. C., De Salvia, M. A., Wilkinson, L. S., Collins, P., Muir, J. L., Everitt, B. J., Robbins, T. W., 1994. 6-Hydroxydopamine lesions of the prefrontal cortex in monkeys enhance performance on an analog of the Wisconsin Card Sort Test: possible interactions with subcortical dopamine. *Journal of Neuroscience*. 14, 2531-2544.
- Roesch-Ely, D., Scheffel, H., Weiland, S., Schwaninger, M., Hundemer, H. P., Kolter, T., Weisbrod, M., 2005. Differential dopaminergic modulation of executive control in healthy subjects. *Psychopharmacology*. 178, 420-430.
- Roiser, J., McLean, A., Ogilvie, A. D., Blackwell, A., Bamber, D. J., Goodyer, I., Jones, P. B., Sahakian, B. J., 2005. The subjective and cognitive effects of acute phenylalanine and tyrosine depletion in patients recovered from depression. *Neuropsychopharmacology*. 30, 775-785.
- Roiser, J., McLean, A., Ogilvie, A. D., Blackwell, A., Sahakian, B. J., 2004. The effects of acute tyrosine and phenylalanine depletion in recovered depression. *Journal of Psychopharmacology*. 18, A16.
- Rosengarten, B., Osthaus, S., Auch, D., Kaps, M., 2003. Effects of acute hyperhomocysteinemia on the neurovascular coupling mechanism in healthy young adults. *Stroke*. 34, 446-451.
- Rosenkilde, C. E., Bauer, R. H., Fuster, J. M., 1981. Single cell activity in ventral prefrontal cortex of behaving monkeys. *Brain Research*. 209, 375-394.
- Ruchkin, D. S., Grafman, J., Cameron, K., Berndt, R. S., 2003. Working memory retention systems: a state of activated long-term memory. *Behavioral and Brain Sciences*. 26, 709-728; discussion 728-777.
- Rusted, J. M., 1988. Dissociative effects of scopolamine on working memory in healthy young volunteers. *Psychopharmacology*. 96, 487-492.
- Rusted, J. M., Eaton-Williams, P., Warburton, D. M., 1991. A comparison of the effects of scopolamine and diazepam on working memory. *Psychopharmacology*. 105, 442-445.
- Rusted, J. M., Warburton, D. M., 1988. The effects of scopolamine on working memory in healthy young volunteers. *Psychopharmacology*. 96, 145-152.
- Ruthruff, E., 1996. A test of the deadline model for speed-accuracy tradeoffs. *Perception and Psychophysics*. 58, 56-64.
- Sahakian, B. J., Morris, R. G., Evenden, J. L., Heald, A., Levy, R., Philpot, M., Robbins, T. W., 1988. A comparative study of visuospatial memory and

- learning in Alzheimer-type dementia and Parkinson's disease. *Brain*. 111 (Pt 3), 695-718.
- Salthouse, T. A., Hedden, T., 2002. Interpreting reaction time measures in between-group comparisons. *Journal of Clinical and Experimental Neuropsychology*. 24, 858-872.
- Sara, S. J., 1998. Learning by neurones: role of attention, reinforcement and behaviour. *Comptes Rendus de l Academie des Sciences. Serie III, Sciences de la Vie*. 321, 193-198.
- Sara, S. J., Vankov, A., Herve, A., 1994. Locus coeruleus-evoked responses in behaving rats: a clue to the role of noradrenaline in memory. *Brain Research Bulletin*. 35, 457-465.
- Sarnthein, J., Petsche, H., Rappelsberger, P., Shaw, G. L., von Stein, A., 1998. Synchronization between prefrontal and posterior association cortex during human working memory. *Proceedings of the National Academy of Sciences of the United States of America*. 95, 7092-7096.
- Sawaguchi, T., Goldman-Rakic, P. S., 1991. D1 dopamine receptors in prefrontal cortex: involvement in working memory. *Science*. 251, 947-950.
- Sawaguchi, T., Goldman-Rakic, P. S., 1994. The role of D1-dopamine receptor in working memory: local injections of dopamine antagonists into the prefrontal cortex of rhesus monkeys performing an oculomotor delayed-response task. *Journal of Neurophysiology*. 71, 515-528.
- Sawaguchi, T., Matsumura, M., Kubota, K., 1990. Catecholaminergic effects on neuronal activity related to a delayed response task in monkey prefrontal cortex. *Journal of Neurophysiology*. 63, 1385-1400.
- Schack, B., Vath, N., Petsche, H., Geissler, H. G., Moller, E., 2002. Phase-coupling of theta-gamma EEG rhythms during short-term memory processing. *International Journal of Psychophysiology*. 44, 143-163.
- Schapira, A. H., 2000. Sleep attacks (sleep episodes) with pergolide. *Lancet Neurology*. 355, 1332-1333.
- Schmitt, J. A., Jorissen, B. L., Sobczak, S., van Boxtel, M. P., Hogervorst, E., Deutz, N. E., Riedel, W. J., 2000. Tryptophan depletion impairs memory consolidation but improves focussed attention in healthy young volunteers. *Journal of Psychopharmacology*. 14, 21-29.

- Schmitt, J. A., Ramaekers, J. G., Kruizinga, M. J., van Boxtel, M. P., Vuurman, E. F., Riedel, W. J., 2002. Additional dopamine reuptake inhibition attenuates vigilance impairment induced by serotonin reuptake inhibition in man. *Journal of Psychopharmacology*. 16, 207-214.
- Schultz, W., Apicella, P., Ljungberg, T., 1993. Responses of monkey dopamine neurons to reward and conditioned stimuli during successive steps of learning a delayed response task. *Journal of Neuroscience*. 13, 900-913.
- Schweitzer, J. B., Lee, D. O., Hanford, R. B., Zink, C. F., Ely, T. D., Tagamets, M. A., Hoffman, J. M., Grafton, S. T., Kilts, C. D., 2004. Effect of methylphenidate on executive functioning in adults with attention-deficit/hyperactivity disorder: normalization of behavior but not related brain activity. *Biological Psychiatry*. 56, 597-606.
- Seamans, J. K., Gorelova, N., Durstewitz, D., Yang, C. R., 2001. Bidirectional dopamine modulation of GABAergic inhibition in prefrontal cortical pyramidal neurons. *Journal of Neuroscience*. 21, 3628-3638.
- Selemon, L. D., Goldman-Rakic, P. S., 1988. Common cortical and subcortical targets of the dorsolateral prefrontal and posterior parietal cortices in the rhesus monkey: evidence for a distributed neural network subserving spatially guided behavior. *Journal of Neuroscience*. 8, 4049-4068.
- Sheehan, B. D., Tharyan, P., McTavish, S. F. B., Camping, G. M., Cowen, P. J., 1996. Use of a dietary manipulation to deplete plasma tyrosine and phenylalanine in healthy subjects. *Journal of Psychopharmacology*. 10, 231–234.
- Shurtleff, D., Thomas, J. R., Schrot, J., Kowalski, K., Harford, R., 1994. Tyrosine reverses a cold-induced working memory deficit in humans. *Pharmacology, Biochemistry and Behavior*. 47, 935-941.
- Silberstein, R. B., Ciorciari, J., Pipingas, A., 1995. Steady-state visually evoked potential topography during the Wisconsin card sorting test. *Electroencephalography and Clinical Neurophysiology*. 96, 24-35.
- Silberstein, R. B., Danieli, F., Nunez, P. L., 2003. Fronto-parietal evoked potential synchronization is increased during mental rotation. *Neuroreport*. 14, 67-71.
- Silberstein, R. B., Farrow, M., Levy, F., Pipingas, A., Hay, D. A., Jarman, F. C., 1998. Functional brain electrical activity mapping in boys with attention-deficit/hyperactivity disorder. *Archives of General Psychiatry*. 55, 1105-1112.

- Silberstein, R. B., Harris, P. G., Nield, G. A., Pipingas, A., 2000a. Frontal steady-state potential changes predict long-term recognition memory performance. *International Journal of Psychophysiology*. 39, 79-85.
- Silberstein, R. B., Line, P., Pipingas, A., Copolov, D., Harris, P., 2000b. Steady-state visually evoked potential topography during the continuous performance task in normal controls and schizophrenia. *Clinical Neurophysiology*. 111, 850-857.
- Silberstein, R. B., Nunez, P. L., Pipingas, A., Harris, P., Danieli, F., 2001. Steady state visually evoked potential (SSVEP) topography in a graded working memory task. *International Journal of Psychophysiology*. 42, 219-232.
- Silberstein, R. B., Schier, M. A., Pipingas, A., Ciorciari, J., Wood, S. R., Simpson, D. G., 1990. Steady-state visually evoked potential topography associated with a visual vigilance task. *Brain Topography*. 3, 337-347.
- Silberstein, R. B., Song, J., Nunez, P. L., Park, W., 2004. Dynamic sculpting of brain functional connectivity is correlated with performance. *Brain Topography*. 16, 249-254.
- Sillito, A. M., Murphy, P. C., 1986. in. In: Avioli, M. et al. (Eds.), *Neurotransmitters and cortical functions*. Plenum, New York, pp. 167-186.
- Smith, E. E., Jonides, J., 1997. Working memory: a view from neuroimaging. *Cognitive Psychology*. 33, 5-42.
- Smith, E. E., Jonides, J., 1998. Neuroimaging analyses of human working memory. *Proceedings of the National Academy of Sciences of the United States of America*. 95, 12061-12068.
- Smith, E. E., Jonides, J., 1999. Storage and executive processes in the frontal lobes. *Science*. 283, 1657-1661.
- Smith, E. E., Jonides, J., Koeppe, R. A., 1996. Dissociating verbal and spatial working memory using PET. *Cerebral Cortex*. 6, 11-20.
- Smith, M. E., McEvoy, L. K., Gevins, A., 1999. Neurophysiological indices of strategy development and skill acquisition. *Brain Research. Cognitive Brain Research*. 7, 389-404.
- Speckreijse, H., Estevez, O., Reits, D., 1977. Visual evoked potentials and the physiological analysis of visual processes in man. In: Desmedt, J. E. (Ed.), *Visual evoked potentials in man: new developments*. Clarendon Press, Oxford, pp. 16-89.

- Spinks, T. J., Jones, T., Bloomfield, P. M., Bailey, D. L., Miller, M., Hogg, D., Jones, W. F., Vaigneur, K., Reed, J., Young, J., Newport, D., Moyers, C., Casey, M. E., Nutt, R., 2000. Physical characteristics of the ECAT EXACT3D positron tomograph. *Physics in Medicine and Biology*. 45, 2601–2618.
- Steckler, T., Sahgal, A., 1995. The role of serotonergic-cholinergic interactions in the mediation of cognitive behaviour. *Behavioural Brain Research*. 67, 165-199.
- Sternberg, S., 1966. High-speed scanning in human memory. *Science*. 153, 652-654.
- Stoof, J. C., Kebabian, J. W., 1984. Two dopamine receptors: biochemistry, physiology and pharmacology. *Life Sciences*. 35, 2281-2296.
- Storch, A., Trenkwalder, C., Oehlwein, C., Winkelmann, J., Polzer, U., Hundemer, H. P., Schwarz, J., 2005. High-dose treatment with pergolide in Parkinson's disease patients with motor fluctuations and dyskinesias. *Parkinsonism and Related Disorders*.
- Szabo, S. T., Gould, T. D., Manji, H. K., 2000. Neurotransmitters, receptors, signal transduction, and second messengers in psychiatric disorders. In: Schatzberg, A. F. and Nemeroff, C. B. (Eds.), *The American psychiatric publishing textbook of psychopharmacology*: Third edition. The American psychiatric publishing, Arlington, U.S..A.
- Talairach, J., Tournoux, P., 1988. *Co-planar stereotaxic atlas of the human brain*. Thieme, New York.
- Tallon-Baudry, C., Bertrand, O., Fischer, C., 2001. Oscillatory synchrony between human extrastriate areas during visual short-term memory maintenance. *Journal of Neuroscience*. 21, RC177.
- Tallon-Baudry, C., Bertrand, O., Peronnet, F., Pernier, J., 1998. Induced gamma-band activity during the delay of a visual short-term memory task in humans. *Journal of Neuroscience*. 18, 4244-4254.
- Tallon-Baudry, C., Kreiter, A., Bertrand, O., 1999. Sustained and transient oscillatory responses in the gamma and beta bands in a visual short-term memory task in humans. *Visual Neuroscience*. 16, 449-459.
- Tam, S. Y., Roth, R. H., 1997. Mesoprefrontal dopaminergic neurons: can tyrosine availability influence their functions? *Biochemical Pharmacology*. 53, 441-453.

- Tesche, C. D., Uusitalo, M. A., Ilmoniemi, R. J., Kajola, M. J., 1995. Characterizing the local oscillatory content of spontaneous cortical activity during mental imagery. *Brain Research. Cognitive Brain Research.* 2, 243-249.
- Thomas, J. R., Ahlers, S. T., Schrot, J., 1989. Cold-induced impairments of delayed matching in rats. *Behavioral and Neural Biology.* 55, 19-30.
- Thomas, J. R., Lockwood, P. A., Singh, A., Deuster, P. A., 1999. Tyrosine improves working memory in a multitasking environment. *Pharmacology, Biochemistry and Behavior.* 64, 495-500.
- Tissari, A. H., Rossetti, Z. L., Meloni, M., Frau, M. I., Gessa, G. L., 1983. Autoreceptors mediate the inhibition of dopamine synthesis by bromocriptine and lisuride in rats. *European Journal of Pharmacology.* 91, 463-468.
- Ungerleider, L. G., Courtney, S. M., Haxby, J. V., 1998. A neural system for human visual working memory. *Proceedings of the National Academy of Sciences of the United States of America.* 95, 883-890.
- Ungerleider, L. G., Mishkin, M., 1982. Two cortical visual systems. In: Ingle, D. J. et al. (Eds.), *Analysis of visual behavior.* MIT Press, Cambridge, pp. 549–586.
- Ungerstedt, U., 1971. Stereotaxic mapping of the monoamine pathways in the rat brain. *Acta Physiologica Scandinavica. Supplementum.* 367, 1-48.
- Urban, N. N., Gonzalez-Burgos, G., Henze, D. A., Lewis, D. A., Barrionuevo, G., 2002. Selective reduction by dopamine of excitatory synaptic inputs to pyramidal neurons in primate prefrontal cortex. *Journal of Physiology.* 539, 707-712.
- Usui, M., Matsuoka, H., Miyazaki, H., Ueda, S., Okuda, S., Imaizumi, T., 1999. Endothelial dysfunction by acute hyperhomocyst(e)inaemia: restoration by folic acid. *Clinical Science.* 96, 235-239.
- Verhoeff, N. P., Christensen, B. K., Hussey, D., Lee, M., Papatheodorou, G., Kopala, L., Rui, Q., Zipursky, R. B., Kapur, S., 2003. Effects of catecholamine depletion on D2 receptor binding, mood, and attentiveness in humans: a replication study. *Pharmacology, Biochemistry and Behavior.* 74, 425-432.
- Verhoeff, N. P., Hussey, D., Lee, M., Tauscher, J., Papatheodorou, G., Wilson, A. A., Houle, S., Kapur, S., 2002. Dopamine depletion results in increased neostriatal D(2), but not D(1), receptor binding in humans. *Molecular Psychiatry.* 7, 233, 322-328.

- Verster, J. C., Volkerts, E. R., 2004. Clinical pharmacology, clinical efficacy, and behavioral toxicity of alprazolam: a review of the literature. *CNS Drug Reviews*. 10, 45-76.
- Wager, T. D., Smith, E. E., 2003. Neuroimaging studies of working memory: a meta-analysis. *Cognitive Affective and Behavioral Neuroscience*. 3, 255-274.
- Wang, M., Vijayraghavan, S., Goldman-Rakic, P. S., 2004. Selective D2 receptor actions on the functional circuitry of working memory. *Science*. 303, 853-856.
- Watanabe, M., Kodama, T., Hikosaka, K., 1997. Increase of extracellular dopamine in primate prefrontal cortex during a working memory task. *Journal of Neurophysiology*. 78, 2795-2798.
- Weickert, T. W., Goldberg, T. E., Gold, J. M., Bigelow, L. B., Egan, M. F., Weinberger, D. R., 2000. Cognitive impairments in patients with schizophrenia displaying preserved and compromised intellect. *Archives of General Psychiatry*. 57, 907-913.
- Wesnes, K., Pincock, C., 2002. Practice effects on cognitive tasks: a major problem? *Lancet Neurology*. 1, 473.
- Williams, G. V., Goldman-Rakic, P. S., 1995. Modulation of memory fields by dopamine D1 receptors in prefrontal cortex. *Nature*. 376, 572-575.
- Williams, S. M., Goldman-Rakic, P. S., 1993. Characterization of the dopaminergic innervation of the primate frontal cortex using a dopamine-specific antibody. *Cerebral Cortex*. 3, 199-222.
- Williams, S. M., Goldman-Rakic, P. S., 1998. Widespread origin of the primate mesofrontal dopamine system. *Cerebral Cortex*. 8, 321-345.
- Wilson, F. A., O'Scalaidhe, S. P., Goldman-Rakic, P. S., 1993. Dissociation of object and spatial processing domains in primate prefrontal cortex. *Science*. 260, 1955-1958.
- Wilson, F. A., O'Scalaidhe, S. P., Goldman-Rakic, P. S., 1994. Functional synergism between putative gamma-aminobutyrate-containing neurons and pyramidal neurons in prefrontal cortex. *Proceedings of the National Academy of Sciences of the United States of America*. 91, 4009-4013.
- Woodworth, R. S., 1899. The accuracy of voluntary movement. *Psychological Review*. 13, 1- 14.

- Worsley, K. J., Marrett, S., Neelin, P., Vandal, A. C., Friston, K. J., Evans, A. C., 1996. A unified statistical approach for determining significant signals in images of cerebral activation. *Human Brain Mapping*. 4.
- Yang, C. R., Seamans, J. K., Gorelova, N., 1999. Developing a neuronal model for the pathophysiology of schizophrenia based on the nature of electrophysiological actions of dopamine in the prefrontal cortex. *Neuropsychopharmacology*. 21, 161-194.
- Young, S. N., Smith, S. E., Pihl, R. O., Ervin, F. R., 1985. Tryptophan depletion causes a rapid lowering of mood in normal males. *Psychopharmacology*. 87, 173-177.
- Zhang, X. X., Jin, G. Z., Wei, Y. F., 1995. Agonistic actions of pergolide on firing activity of dopamine neurons in substantia nigra compacta area. *Zhongguo Yao Li Xue Bao*. 16, 423-427.
- Zigmond, M. J., Acheson, A. L., Stachowiak, M. K., Stricker, E. M., 1984. Neurochemical compensation after nigrostriatal bundle injury in an animal model of preclinical parkinsonism. *Archives of Neurology*. 41, 856-861.
- Zurowski, B., Gostomzyk, J., Gron, G., Weller, R., Schirrmeyer, H., Neumeier, B., Spitzer, M., Reske, S. N., Walter, H., 2002. Dissociating a common working memory network from different neural substrates of phonological and spatial stimulus processing. *Neuroimage*. 15, 45-57.